

## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: C

09/171,854

Source:

Date Processed by STIC:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- 3. Hand Carry directly to:
  - U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7<sup>th</sup> Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
  - U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

## Does Not Comply Corrected Diskette Needed



RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/171,854B

Input Set : A:\03528-0038-US00.ST25.txt Output Set: N:\CRF3\06212002\I171854B.raw

3 <110> APPLICANT: Joos, Stefan

Lichter, Peter

6 <120> TITLE OF INVENTION: Identification of Numerical Changes in Cell Data

8 <130> FILE REFERENCE: 03528.0038.US00

10 <140> CURRENT APPLICATION NUMBER: 09/171,854B

11 <141> CURRENT FILING DATE: 1998-10-22

13 <150> PRIOR APPLICATION NUMBER: PCT/DE97/00814

14 <151> PRIOR FILING DATE: 1997-04-23

16 <150> PRIOR APPLICATION NUMBER: DE 196 16 381.1

17 <151> PRIOR FILING DATE: 1996-04-24

19 <160> NUMBER OF SEQ ID NOS: 1

21 <170> SOFTWARE: PatentIn version 3.1

## ERRORED SEQUENCES

- 23 <210> SEQ ID NO: 1
- 24 <211> LENGTH: (22
- 25 <212> TYPE: DNA
- 26 <213> ORGANISM: Artificial Sequence
- 28 <220> FEATURE:
- 29 <223> OTHER INFORMATION: Synthetic Primer
- 31 <220> FEATURE:
- 32 <221> NAME/KEY: misc\_feature
- 33 <222> LOCATION: (11)..(16)
- 34 <223> OTHER INFORMATION: N= A, T, G, or C
- 37 <400> SEQUENCE: 1

E--> 38 ccgactcgag nnnnnnatgt gg

There are 22 bases in SEQ 10 # 1.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/171,854B

DATE: 06/21/2002 TIME: 14:19:14

Input Set : A:\03528-0038-US00.ST25.txt
Output Set: N:\CRF3\06212002\II71854B.raw

L:38 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0 L:38 M:254 E: No. of Bases conflict, LENGTH:Input:21 Counted:22 SEQ:1